







## DRAINTUBE™ offers:

- ▶ 3 perforated pipes size options: 16, 20 and 25 mm
- ▶ 4 perforated pipe spacing options: 2 m, 1 m, 1/2 m, 1/4 m (80", 40", 20", 10")
- ▶ Multiple geotextile options
- ▶ Available transmissivity between  $2.5 \cdot 10^{-4}$  to  $4 \cdot 10^{-3} \text{ m}^2/\text{s}$  at  $i=0.1$
- ▶ No change in transmissivity up to 2500 kPa (50,000 psf)
- ▶ Low creep reduction factor
- ▶ No geotextile intrusion
- ▶ Standard roll size: 3.98 m x 75 m (13.1' x 246')
- ▶ Faster and easier to install than other types of geocomposites, no tying required!
- ▶ Consistent QA/QC
- ▶ Competitively priced!

Produced by

**afitex • Texel**  
G E O S Y N T H E T I C S

## Contacts

### United States

Phone: 418 929-3139

### British Columbia

2704-1211 Melville Street, Vancouver, Bc V6E 0A7

Phone: 604 558-2900

### Quebec

160-2, Boulevard Industriel, Boucherville, Qc J4B 2X3

Phone: 418 929-3139

[www.afitextexel.com](http://www.afitextexel.com)

[info@afitextexel.com](mailto:info@afitextexel.com)